POPULATION ESTIMATES		LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS			
Total 2003 Population  Population per square mile County ranking in state (1-	36	Community Options and MA Waiver as HSRS reports costs for services	Per 10,000 Staffing - FTE Number Population Total staff 8.0 2.8			
Age Female Male 0-14 2,990 3,160 15-19 1,090 1,140	T-4-1	Clients Cost COP 26 \$150,8  MA Waiver * CIP1A 5 \$288,3 CIP1B 59 \$1,489,1 CIP2 8 \$75.7				
25-29 610 630 30-34 730 720 35-39 900 870 40-44 1, 120 1, 090	1, 240 1, 450 1, 780 2, 200	CIP1A 5 \$288, 3 CIP1B 59 \$1, 489, 1 CIP2 8 \$75, 7 COP-W 62 \$551, 6 CSLA 0 Brain Injury 1 \$94, 1 Total COP/Wvrs 161 \$2, 499, 0	701 Fundi ng Per capi ta \$0 Total \$463,882 \$16.18 89 Local Taxes \$180,950 \$6.31 23 Per Capi ta			
45-54     2, 100     2, 170       55-64     1, 500     1, 600       65-74     1, 200     1, 040       75-84     1, 000     700       85+     530     260       Total     14, 530     14, 100	3, 110 2, 240 1, 690 790	\$58,483 of the above waiver co were paid as local match/overmatc using COP funds. This amount is not included in above COP costs.	sts			
Age Female Male 0-17 3,640 3,830 18-44 4,550 4,580	28, 700 Total 7, 460 9, 120	* Wai ver costs reported here include federal funding.  Clients Cost	Restaurants 126			
65+ 2,730 2,000	7, 390 4, 720 28, 700	Eligible and Waiting 44 n/a  (Family Care not provided in count)				
Estimate (C. All ages 3,991 14.2% Ages 0-17 1,773 23.0%	1.+/-) 155 (4%) 78 (4%)	Note: Eligible and waiting clients will be phased into the COP and Waivers as available.	Pregnant/Postpartum 284 Infants 284 Children, age 1-4 398 Total 966			
EMPLOYMENT Average wage for jobs covered by unemployment compensation \$ (place of work)	522, 747	Home Health Agencies Patients 15 Patients per 10,000 pop. 5	7 Breast 32 5 Cervi cal 1			
Labor Force Estimates A  Civilian Labor Force Number employed Number unemployed	15, 397 14, 600 797	Nursing Homes Licensed beds 33 Occupancy rate 83. Residents on Dec. 31 28 Residents age 65 or older per 1,000 population 5	4 Lung and Bronchus 25 6 Prostate 35 6% Other sites 73 8 Total 189			
Unempl oyment rate	5. 2%	per 1,000 population 5	Note: Totals shown are for i nvasi ve cancers only.			

			NATA	JITY				
TOTAL LIVE BIRTHS		409	Birth Order	Births	Percent	Marital Status		İ
TOTAL ETTE BIKING		107	First	125	31	of Mother	Bi rths	Percent
Crude Live Birth Rate		14. 3	Second	118	29	Marri ed	325	79
General Fertility Rate 78.8		Thi rd	67	16	Not married	84	21	
denotal relativity hat	C	70.0	Fourth or higher	99	24	Unknown	0	0
Live births with reported congenital anomalies 10 2.4%		Unknown	0	0	OTIKTIOWIT	O	· ·	
congenital anomalies	1 100	0 2 40/	UTIKITOWIT	U	U	Educati on		
Congenital anomaires	ı	0 2.4%				of Mother	Bi rths	Percent
Dolivery Tyre	D: m+ha	Damaant	1at Dwamatal Vicit	D: m+ha	Donoont			Percent
Delivery Type	BILLUS	Percent	1st Prenatal Visit		Percent	Elementary or le	ss 103	25
Vagi nal after	10	2	1st trimester	268	66	Some high school	27	7
_previ ous cesarean	13		2nd trimester	72	18	High school	110	27
Forceps	3	1 81 9	3rd trimester	59	14	Some college	82	20
Other vagi nal	332	81	No visits	8 2	2	College graduate		21
Primary česarean	35	9	Unknown	2	<. 5	Unknown	0	0
Repeat cesarean	26	6						
_			Prenatal Visits	Bi rths	Percent	Smoking Status		
Birthweight	Bi rths	Percent	No visits	8	2	of Motȟer	Bi rths	Percent
<1,500 gm	0	0. 0	1-4	82	20	Smoker	60	15
1,500-2,499 gm	15	3. 7	5-9	89	22	Nonsmoker	349	85
2, 500+ gm	394	96. 3	10-12	108	26	Unknown	0	0
Unknown	0 15 394 0	0	13+	121	30			_
	•	· ·	Unknown	1	<. 5			
1								
			Low Birthweight		Tri mest	er of First Prenata	l Visit	
			Low Birthweight (under 2.500 am)	1st Tr	Trimest imester	er of First Prenata 2nd Trimester	l Visit Other/	Unknown
Race/Fthnicity	Births P	ercent	(under 2,500 gm)	1st Tr Births	imester	2nd Trimester	Other/	Unknown Percent
Race/Ethnicity White	Births P	Percent 98	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Whi te	402	98	(under 2,500 gm)	Bi rths 264	imester	2nd Trimester	Other/	
Whi te	402	98 0	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Whi te	402	98 0 <. 5	(under 2,500 gm) Births Percent	Bi rths 264	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Whi te	402	98 0 <. 5 1	(under 2,500 gm) Births Percent	Bi rths 264	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	402 0 2 4 0	98 0 <. 5 1 0	(under 2,500 gm) Births Percent	Bi rths 264	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Whi te	402	98 0 <. 5 1	(under 2,500 gm) Births Percent 14 3.5	Bi rths 264 *	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	402 0 2 4 0	98 0 <. 5 1 0	(under 2,500 gm) Births Percent 14 3.5	Bi rths 264 *	i mester Percent 66	2nd Trimester Births Percent 69 17	Other/ Bi rths 69 * *	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	402 0 2 4 0 1	98 0 <. 5 1 0 <. 5	(under 2,500 gm) Births Percent 14 3.5  tow Birthweight	Bi rths 264 *	i mester Percent 66	2nd Trimester Births Percent 69 17  * * * * * * * * * * * * * * * * * *	Other/ Births 69 * *	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	402 0 2 4 0 1	98 0 <.5 1 0 <.5	(under 2,500 gm) Births Percent 14 3.5  * * Low Birthweight (under 2,500 gm)	Bi rths 264 *	i mester Percent 66 Tri mest	2nd Trimester Births Percent 69 17  * * * * * * * * * * * * * * * * * *	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown Age of Mother	402 0 2 4 0 1 Fe Bi rths	98 0 <. 5 1 0 <. 5	(under 2,500 gm) Births Percent 14 3.5  tow Birthweight	Bi rths 264	i mester Percent 66	2nd Trimester Births Percent 69 17  *	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15	402 0 2 4 0 1 	98 0 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 14 3.5  * Low Birthweight (under 2,500 gm)	Bi rths 264 *	i mester Percent 66 Tri mest	2nd Trimester Births Percent 69 17  * * * * * * * * * * * * * * * * * *	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17	402 0 2 4 0 1  Fe Bi rths 0 4	98 0 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 14 3.5  * Low Birthweight (under 2,500 gm)	Bi rths 264	i mester Percent 66	2nd Trimester Births Percent 69 17  * * * * * * * * * * * * * * * * * *	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	402 0 2 4 0 1  Fe Bi rths 0 4 18	98 0 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 14 3.5  Low Birthweight (under 2,500 gm) Births Percent	Bi rths 264	i mester Percent 66	2nd Trimester Births Percent 69 17  * * * * * * * * * * * * * * * * * *	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	402 0 2 4 0 1  Fe Bi rths 0 4 18 92	98 0 <.5 1 0 <.5 ertility Rate  6 41 123	(under 2,500 gm) Births Percent 14 3.5  Low Birthweight (under 2,500 gm) Births Percent 6 6.5	Bi rths 264	i mester Percent 66	2nd Trimester Births Percent 69 17  * * * * * * * * * * * * * * * * * *	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	402 0 2 4 0 1  Fe Bi rths 0 4 18 92 115	98 0 <.5 1 0 <.5 ertility Rate  6 41 123 188	(under 2,500 gm) Births Percent 14 3.5	Bi rths 264 *	i mester Percent 66	2nd Trimester Births Percent 69 17  *	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	402 0 2 4 0 1  Fe Bi rths 0 4 18 92 115 98	98 0 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 14 3.5	Bi rths 264 1st Tr Bi rths	i mester Percent 66	2nd Trimester Births Percent 69 17  *	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	402 0 2 4 0 1  Fe Bi rths 0 4 18 92 115 98 55	98 0 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 14 3.5	Bi rths 264 1st Tr Bi rths 11 55 85 70 35	i mester Percent 66	2nd Trimester Births Percent 69 17  *	Other/ Births 69 * * 	Percent
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	402 0 2 4 0 1  Fe Bi rths 0 4 18 92 115 98 55 27	98 0 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 14 3.5	Bi rths 264 1st Tr Bi rths	i mester Percent 66	2nd Trimester Births Percent 69 17  *  *  *  ter of First Prenata 2nd Trimester Births Percent  *  4 22 23 25 18 16 11 11 7 13 7 26	Other/ Births 69 * * 	Percent 17
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	402 0 2 4 0 1  Fe Bi rths 0 4 18 92 115 98 55	98 0 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 14 3.5	Bi rths 264 1st Tr Bi rths 11 55 85 70 35	i mester Percent 66	2nd Trimester Births Percent 69 17  *	Other/ Births 69 * * 	Percent

MORBIDITY	MORTALI TY	
REPORTED CASES OF SELECTED DI SEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.	
Di sease Campyl obacter Enteritis Gi ardi asi s Hepati ti s Type A Hepati ti s Type B** Hepati ti s NANB/C Legi onnai re' s Lyme Measl es Meni ngi ti s, Asepti c Meni ngi ti s, Bacteri al Mumps Pertussi s Sal monel I osi s Tubercul osi s	15-19       5       .       Female Breast       3         20-34       3       .       Cerebrovascul ar Di sease       28       98         35-54       22       266       Lower Resp. Di sease       10         55-64       29       933       Pneumoni a & Infl uenza       10         65-74       34       1,515       Acci dents       15         75-84       78       4,595       Motor vehi cl e       6         85+       113       14,294       Di abetes       3         Infect. /Parasi ti c Di s.       1         Sui ci de       7	0 5 7
* 2003 provisional data.  ** Includes all positive HBsAg test results.	Infant Mortality Deaths Rate Total Infant 1 . Neonatal ALCOHOL AND DRUG ABUSE AS UNDERLYING Postneonatal 1 . OR CONTRIBUTING CAUSE OF DEATH Unknown	
Sexually Transmitted Disease Chlamydia Trachomatis 31 Genital Herpes 11 Gonorrhea 5 Syphilis 0	Race of Mother White 1 Both Mentioned 2 Black Standard Control	
Children in Grades K-12 by Compliance Level Compliant 4,589 Non-compliant 97 Percent Compliant 97.9	Birthweight of crash, not on residence. <1,500 gm . 1,500-2,499 gm 1 . Type of Motor Persons Person 2,500+ gm . Vehicle Crash Injured Killo	

PAGE 4

			2003 HOSP	TALIZATIONS					
I	Per Ave		Charge			Per	Average		Charge
DI SEASE /	1, 000 S	stay Averag	ge Per	DI SEASE /		1, 000	Stay	Average	
AGE GROUP Number	Pop (D	ays) Charge		AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
	. `	3 , 3	•			•	, ,	J	•
Injury-Related: All				Al cohol -Rel ated					
Total 295		3.7 \$15, 961	l \$164	Total	63	2. 2	3. 8	\$4, 500	\$10
<18 29 18-44 70	3. 9	3. 4 \$10, 750		18-44	25	2. 7	3. 6	\$3, 190	\$9
18-44 70	7. 7	3. 7 \$16, 349		45-64	28	3.8	3. 9	\$5, 399	\$20
45-64 66	8. 9	3.0 \$16,605		Pneumonia and Ir	nfl uenza				
65+ 130	27. 5	4. 0 \$16, 587	7 \$456	Total	154	5. 4	4. 3	\$8, 994	\$48
Injury: Hip Fracture				<18	13			:	
Total 39		4. 9 \$18, 566		45-64	23	3. 1	4. 7	\$10, 177	\$32
65+ 34	7. 2	4. 1 \$17, 479	9 \$126	65+	111	23. 5	4. 5	\$9, 421	\$221
Injury: Poisonings				Cerebrovascul ar					
Total 28	1. 0	2. 8 \$6, 670	\$7	Total	62	2. 2	3. 5	\$10, 262	\$22
18-44 16			•	45-64	9	44.5			
				65+	_53	11. 2	3. 1	\$8, 489	\$95
Psychiatri c				Chronic Obstruct		onary [	Di sease		± . =
Total 156	5. 4	8. 2 \$10, 778	3 \$59	Total	5 <u>7</u>	2. 0	2. 9	\$7, 415	\$15
<18 13				<18	7		•		•
18-44 71		9. 1 \$11, 039		18-44	6		•		•
45-64 49		8. 9 \$12, 505		45-64	10				
65+ 23	4. 9	6. 0 \$10, 265	5 \$50	65+_	34	7. 2	3. 1	\$8, 324	\$60
				Drug-Rel ated	_				
Coronary Heart Disease		0 ( +07 -1-	* ***	Total	7		•		
Total 196	6. 8	3. 6 \$27, 517	\$188	18-44	1		•		
45-64 62	8. 4	3. 3 \$28, 598	3 \$240						
65+ 130	27. 5	3. 8 \$27, 619	9 \$759	Total Hospitaliz	zations	447.0	0 5	<b>444</b> ( ( 0	<b>44.074</b>
	<b>\</b>			Total		117. 0		\$11, 662	
Malignant Neoplasms (Ca	ancers): Al	I 0 #00 0F0	. 474	<18	502	67. 3		\$4, 804	\$323
Total 100	3. 5	5. 3 \$20, 358	3 \$71	18-44	738	80. 9	3. 1	\$8, 874	\$718
Total 100 18-44 7 45-64 36		4. 1 \$17, 802	·	45-64	671	90. 9		\$14, 733	\$1, 339
45-64 36				65+	1, 446	305. 6	3. 9	\$14,042	\$4, <b>2</b> 91
1 001	11.8	6. 1 \$21, 420	) \$253	   PRI	CVCNTADI C	HOCDIT	TAL 1 7ATL	JNC*	
Neoplasms: Female Bre Total 10				Total	EVENTABLE 506	. HUSPI 1 17. 6		JNS^ \$7, 676	\$135
Noonlasmo, Cola roots			•	10tai   <18	49	6.6	3. 3 2. 1		
Neoplasms: Colo-recta Total 8	<b>1</b> 1			18-44	49 35	3.8	2. 1 2. 2	\$3, 436 \$5, 118	\$23 \$20
65+ 5			•	45-64	35 89	3. 6 12. 1		\$5, 118 \$9, 602	\$20 \$116
Neoplasms: Lung	•		•	65+	333	70. 4	3. 4 3. 5	\$9, 002 \$8, 054	\$567
Total 15				05+	ააა	70.4	ა. ა	φο, U34	<b>Φ</b> 507
	•		•						
Di abetes				* Hospitalizations	for cond	li ti ons	where ti	mely and	effecti ve
Total 26	0. 9	3. 4 \$9, 681	l \$9	ambulatory care car	n reduce	the lik	kel i hood	of hospi	tal i zati on.
65+ 19								13.	
				· 					